Trying wlietlefel... pen

Welcome to STN international: Enter wiw LOSINID:sssptal@E6swc #ASSWORD: OPEMINAL ENTER 1, 2, 3, 28 3 :0

• • • • • • • • • • Welcome to STN international Web Page URLs for STN Seminar Schedule - N. America NEWS Tec 17 The CA Lexison available in the CAPLUS and CA files NEWS Engineering Information Encompass files have new names TOWLINE no longer being updated Feb 16 NEWS Feb 1€ NEWS Search Derwent WFINDEM by chemical structure PRE-1967 REFERENCES NOW SEARCHABLE IN CAPLUS AND CA NEWS Apr 23 Apr 23 May 07 Jun 20 JUL 13 NEWS NEWS DGENE Reload Published patent applications (A1) are now in USPATFULL NEWS 8 New SDI alert frequency now available in Derwent's NEWS 9 DWPI and DPCI NEWS 10 In-process records and more frequent updates now in -Aud 23 MEDLINE NEWS 11 NEWS 12 Aug 23 Aug 23 PAGE IMAGES FOR 1947-1966 RECORDS IN CAPLUS AND CA Adis Newsletters (ADISNEWS) now available on STN 3ep 17 IMSworld Pharmaceutical Company Directory name change NEWS 13 to PHARMASEARCH Korean abstracts now included in Derwent World Patents NEWS 14 (ct 09 Index NEWS 15 (at 09) Number of Derwent World Patents Index updates increased ( at 15 Calculated properties now in the REGISTRY/ZREGISTRY File NEWS 16 NEWS 17 Over 1 million reactions added to CASREACT (at 22 DGENE GETSIM has been improved NEWS 18 Hat 22 NEWS 19 Wat 29 AAASD no longer available Mov 19 New Search Capabilities USPATFULL and USPAT2 NEWS 20 NEWS 21 TOXCENTER(SM) - new toxicology file now available on STN Nov 13 NEWS 22 Nov 29 COPPERLIT now available on STN IMPI revisions to NTIS and US Provisional Numbers NEWS 23 ∷ov 29 Files VETU and VETB to have open access NEWS 24 Nov 30 NEWS EXPRESS August 15 CURRENT WINDOWS VERSION IS V6.0c, CURRENT MACINTOSH VERSION IS V6.0 (ENG) AND V6.0J (JP), AND CURRENT DISCOVER FILE IS DATED OF AUGUST 2001 STN Operating Hours Plus Help Desk Availability NEWS HOUR! NEWS INTER General Internet Information NEWS LOGIN Welcome Banner and News Items NEWS PHONE Direct Dial and Telecommunication Network Access to STN CAS World Wide Web Site (general information) NEWS WWW

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of summercial pateways or other similar uses is prohibited and may result in loss it user privileges and other penalties.

```
=> FIL BILSIS
                                                                      TOTAL
SESSION
COST IN T.S. TOLLARS
                                                       SINGE FILE
                                                            FINTEN
FILL PETILSTEL 3 ST
FILE 'BIOSIS' ENTERED AT 18:38:14 ON 16 DEC 2011
 OPYRIGHT (D. 2001 BIOSIS,R
FILE COVERS 1969 TO DATE.
CAS REGISTRY NUMBERS AND CHEMICAL NAMES (CNs) PRESENT FROM JANUARY 1969 TO DATE.
RECORDS LAST ADDED: 5 December 2001 (20011205 ED)
The BIOSIS file has been reloaded. Enter HELF RLOAD and HELF REINDEMING
for details.
=> E BENVENISTE J/AU 25
                    BENVENISTE I/AU
                    BENVENISTE IRENE/AU
            394 --> BENUENISTE J/AU
E3
                   BENVENISTE JACQUES/AU
\mathbb{E}4
                   EENVENISTE JAQVES/AU
Ε.5
Ε6
                   BENUENISTE M/AU
\mathbb{E}^{\square}
                   - BENVENISTE K B AU
\Xi^{\mathfrak{Z}}
                   BENVENISTE F B P/AU
                   BENVENISTE I/AU
BENVENISTE I M.AU
ΕĐ
E10
                   BENVENISTE LEVMOVITZ PATRICIA/AU
Ell
             23
E12
                   BENVENISTE M/AU
                   BENVENISTE M J AU
             2
E13
E14
              9
                    BENVENISTE MORKIS/AU
                    BENVENISTE N/AV
E13
                    BENVENISTE C/AU
E16
                   BENVENISTE CLIVIER/AU
             15
E17
                   BENVENISTE I/AU
E18
            114
                   BENVENISTE FATRICIA/AU
E19
E20
                    BENVENISTE FAUL/AU
            19
                   BENVENISTE FIERRE/AU
            92
                    BENVENISTE F/AU
            106
E23
                    BENVENISTE F. E/AU
E24
                   BENVENISTE E J/AU
                   BENVENISTE RAOUL/AU
E25
=> S (E3) AND FY<=1998 AND (ELECTROMAGNETIC SIGNAL
            394 "BENVENISTE J"/AU
      11699094 PY<=1998
           7/33 ELECTROMAGNETIC
             14 ELECTROMAGNETICS
            042 ELECTROMAGNETIC
                   (ELECTROMAGNETIC OF ELECTROMAGNETICS
         Icela Signal
         RAFFA SIGNALE
             GIONAL OF GIONALG

4 * ELECTROMA METLO GIONAL
ELECTROMA METLO W GIONAL
```

"BENDENISTE " AT AN EF 199- AN ELECTRIMARRETIC COMAL

#N DIS LI I 1818 ABS
THE ESTIMATED COST FOR THIS REQUEST IS 1.90 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? YOUNGE

AMSWER 1 OF 1 BIOSIS CONVENED AND BIOSIS

ACTESCION NUMBER: 14431313681 | B10818 FREW199348100168 SOCKENT NUMBER:

TITLE: Molecular signaling at high dilution or by means of

electronic circuitry.
Ai'ass, J.; Litime, M. H.; Attias, E.; Benveniste, AUTHOR(S):

CORPORATE SOURCE:

INSERM U 200, 32 rue Carnets, 92140 Clamart France Journal of Immunology, (1993) Vol. 180, No. 8 PART 2, pp. 146A. SOURCE:

Meeting Info.: Joint Meeting of the American Association

of.

Immunologists and the Clinical Immunology Society Denver,

Colorado, USA May 21-25, 1993 ISSN: 0022-1767.

DOCUMENT TYPE: Conference LANGUAGE: English

= > FIL STNGUIDE

FULL ESTIMATED COST

COST IN U.S. POLLARS

SINCE FILE TOTAL
ENTRY SESSION
4.64

FILE 'STNGUIDE' ENTERED AT 18:37:35 ON 06 DEC 2001 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT COPYRIGHT (C) 2011 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Nov 30, 2001 (20011130/UP).

=: FIL BIOSIS

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST 0.00 4.64

FILE 'BIOSIS' ENTERED AT 15:39:45 ON 06 DEC 2001 COPYRIGHT (C) 2001 BIOSIS(R)

FILE COVERS 1969 TO DATE.

CAS REGISTRY NUMBERS AND CHEMICAL NAMES (CNs) PRESENT FROM JANUARY 1969 TO DATE.

RECORDS LAST ADDED: 5 December 2001 (20011205/ED)

The BIOSIS file has been reloaded. Enter HELF RUCAD and HELP REINDEXING for details.

+ E PENGENISTE CHAN 20

10 HENGENISTE I/AU 14 HENGENISTE IFENE AU 14 HES BENGENISTE I/AU

TWO THE PERMITTENT AND THE AT THE PERMITTENT AND THE AT THE PERMITTENT AT 21.4 E: 14

F. \*.

```
UENISTE K B AU
BENVENISTE K B F AU
BENVENISTE L AU
1 BENVENISTE L M AU
1 BENVENISTE LEVKOUITO FATRICIA AU
13 BENVENISTE M AU
14 BENVENISTE MOBBIS AU
1 BENVENISTE MAU
1 BENVENISTE NAU
11 BENVENISTE NAU
11 BENVENISTE O/AU
15 BENVENISTE OLIVIER T
BENVENISTE P/FU
1 BENVENISTE P/FU
1 BENVENISTE P/FU
1 BENVENISTE
                        BENVENISTE PIERRE/AU
                        BENVENISTE R/AU
                        BENVENISTE R E/AU
                3
                         BENVENISTE R J/AU
E2;
                        BENVENISTE RACUL/AU
E25
= \cdot S (\Xi 4)
                 15 ("BENVENISTE JACQUES"/AU)
= · DIS L2 1 IBIB
THE ESTIMATED COST FOR THIS REQUEST IS 1.53 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y) / N: N
REQUEST CANCELED
- + DIS L2 1- IBIB
YOU HAVE REQUESTED DATA FROM 15 ANSWERS - CONTINUE? Y/(N):Y THE ESTIMATED COST FOR THIS REQUEST IS 22.95 U.S. DOLLARS DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:Y
L. ANSWER 1 OF 15 EIOSIS COPYRIGHT 2001 BIOSIS
                            1997:126966 BIOSIS
ACCESSION NUMBER:
DOCUMENT NUMBER: TITLE:
                            PF.EV199799418679
                            Presence of Paf-acether in human blood after thin-layer
                            chrcmatography, but not after high-performance liquid
                            chrematography purification.
AUTHOR(S):
                            Izzc, Angelo A. (1); Benveniste, Jacques
                            (1) Dep. Exp. Pharmacol., University Naples "Federico II", via D. Montesano 49, 80131 Naples Italy
CORPORATE SOURCE:
                            Journal of Pharmacological and Toxicological Methods,
St URCE:
                            (1996) Vol. 36, No. 4, pp. 219-221. ISSN: 1356-8719.
DUCUMENT TYPE:
                            Article
                            English
LANGUAGE:
L2 ANSWER 2 OF 15 BIOSIS COPYRIGHT 2001 BIOSIS
ACCESSION NUMBER:
                            1996:369931 BIOSIS
DOCUMENT NUMBER:
                            FREW199699092280
                            Bischemical and cellular effects of heparin-protamine
                            injection in rabbits are partially inhibited by a
                            PAF-abether receptor antagonist.
Aissa, Jamal I; Nathan, Nathalie; Arnoux, Bernard;
ANTHORIGH:
                            Benveniste, Jacques
[1] INSERM C. C., S. Bue des Carnets, W.146 Clamart France
European Curnal of Fharmand my, 1896 Vol. 301, No.
O RESPATE COMECE:
COMPARE
:-:,
                            pp. 103-104.
1930: 114-149.
```

1.77227 TIP: Artidle LANGTAGE: English ANSWER 3 OF 15 BIOSIS CORVEIGHT ACCUBICSIS SICK NUMBER: 1946:311222 BIOSIS ACCESSION NUMBER: ERENIBARBATRIETE Modulation of human neutrophil activation by 'electronic' phornol myristate acetate FMA.

Thomas, Yol One of plittime, Hedi; Benveniste, AUTHOR ST: Jacques 11 ONRS URA 1442, 60206 Complogne France FASEB Journal, (1996) Vol. 10, No. 6, pp. A1479. Meeting Info.: Joint Meeting of the American Society for Biochemistry and Molecular Biology, the American Society CORPORATE SOURCE: SOURCE: for Investigative Pathology and the American Association of Immunologists New Orleans, Louisiana, USA June 2-6, 1996 ISSN: 1892-6638. DOCUMENT TYPE: Conference LANGUAGE: English ANSWER 4 OF 15 BIGSIS COPYRIGHT 2001 BIGSIS 1996:104486 BIOSIS ACCESSION NUMBER: DOCUMENT NUMBER: PREV199698676621 Intraluminal excretion of PAF, LysoPAF, and acetylhydrolase in patients with ulberative colitis. Guimbaud, Rosine; Izzo, Angelo; Martinolle, Jean Pierre; AUTHOR(S):Viden, Nicele; Couturier, Daniel; Benveniste, Jacques; Chaussade, Stanislas (1) (1) Service d'Hepato-gastroenterologie, Hopital Cochin, 27 CORPORATE SOURCE: rue du Faubourg Saint-Jacques, 75014 Paris France Digestive Diseases and Sciences, (1995) Vol. 40, No. 12, SOURCE: pp. 2635-2640. ISSN: 0163-2116. DOCUMENT TYPE: Article LANGUAGE: English ANSWER 5 OF 15 BIOSIS COPYRIGHT 2001 BIOSIS ACCESSION NUMBER: 1995:357557 BIOSIS DOCUMENT NUMBER: TITLE: PREV199598371857 Human umbilical vein endothelial cells: Specific binding platelet-activating factor and cytosolic calcium flux. Korth, Ruth-Maria (1); Hirafuji, Masahiko; Benveniste, AUTHOR(S):Jacques; Russo-Marie, Francoise (1) Forschung Allgemeinmed. FIDA, Palestrinastr. 7A, CORPORATE SOURCE: D-80639 Munich Germany Biochemical Pharmacology, (1995) Vol. 49, No. 12, pp. SOURCE: 1793-1799. ISSN: 0006-2952. DOCUMENT TYPE: Artible LANGUAGE: English ANSWER OF THE BLOSIS COPPERSHED AND BLOSIS OF THE WIND THE BLOSIS OF THE ACCESSIN NUMBER: EPRULAM AFAK Deministration of the second 71712: Teltare-dependent in channels in human basephils: I they exist.

Beautais, Francis II; Fortin, Naude; Benveniste,

.

ATTER :

Jacques

1 INSERM US11, Salle de Malte, Hop. Saint-Louis, 1 Ave. Claude Vellefaux, OSCII Saris France Immunology Letters, 1991 Vol. 46, No. 1-2, pp. 61-63. ISSN: 0166-2408. noggicane gungoe: SOTECE: COORDIT TYPE: Article LANGUAGE: English LO AMBWER O OF 15 BIOSIS COFFRIGHT COOR STORIS 1995:193091 BIOSIS PREV199596207391 ACCESSION NUMBER: COOTMENT NIMBER: TITLE: Direct transmission to cells of a molecular signal \_phorbol myristate acetate, FMA, via an electronic device. Inomas, Yolene [1]; Schiff, Michel; Litime, M. Hedi [1]; AUTHOR(S): Belkadi, Laurent (1); Benveniste, Jacques (1) (1) INSERM U 200, 32 rue des Carnets, 92140 Clamart France FASEB Journal, (1998) Vol. 9, No. 3, pp. A227. Meeting Info.: Experimental Biology 95, Part I Atlanta, GORPORATE SOURCE: SOURCE: Georgia, USA April 9-13, 1995 ISSN: 0892-6638. DOCUMENT TYPE: Conference LANGUAGE: English L2 ANSWER 8 OF 15 BIOSIS COPYRIGHT 2001 BIOSIS ACCESSION NUMBER: 1995:3349 BIOSIS DOCUMENT NUMBER: PREV199598018149 TITLE: Correlations between Paf-acether (PAF) and tumor necrosis factor (TNF) in active rheumatoid arthritis (RA. Hilliquin, Pascal (1); Arnoux, Bernard; Benveniste, AUTHOR(S): Jacques; Menkes, Charles-Joel (1) CORPORATE SOURCE: (1) Serv. Rhumatol. A, Hop. Cochin, Faris 2 France SCURCE: Arthritis & Rheumatism, (1994) Vol. 37, No. 9 SUPPL., pp. 3193. Meeting Info.: 58th National Scientific Meeting of the American College of Rheumatology and the 29th National Scientific Meeting of the Association of Rheumatology Health Professionals Minneapolis, Minnesota, USA October 23-27, 1994 ISSN: 0004-3591. DOCUMENT TYPE: Conference LANGUAGE: English L2 ANSWER 9 OF 15 BIOSIS COPYRIGHT 2001 BIOSIS 1994:279112 BIOSIS ACCESSION NUMBER: DOCUMENT NUMBER: PREV199497292112 TITLE: Modulation of stress proteins by Cd-2+ in a human T cell line. Pellegrini, Olivier; Davenas, Elisabeth; Morin, Laurence; AUTHOR(S): Tsangaris, George T.; Benveniste, Jacques; Manual, Yves; Thomas, Yolene (1 (1) Inst. Natl. Sante Recherche Med. U200, 32 rue Carnets, 92140 Clamart France CORPORATE SOURCE: SCHROE: European Journal of Pharmacology Environmental Toxicology and Pharmacology Section, [1994] Vol. 3, No. 2-3, pp.  $\tilde{z},\tilde{z},\tilde{z}=\bar{z}/\tilde{z},\tilde{z}$  . ISSN: TADR-641T. : TENT THE Artisle IANTTARE: English

IO ANAMER IN THIS BINDING CLEVEL BY A LEGISLATING LABORATED AND METHOD  $(1.44\pm0.0000)$  . Finding

DU DUMENT NUMBER: TITLE: EBBN13884WNLW11L1 Cadmium induces apoptosis in a human T dell line. El Accouci, Bouchra; Tsangaris, George T.; Bellegrini, ATTHE S : Olivier; Manuel, Twes; Benveniste, Jacques; Thomas, Yolene NURE BATE SUURCE: 1 Inst. National Sampe, Repherohe Med., Unite 200, 32 277242 Carnets, 30140 Clamart France Toxicology, (1994) Vol. 58, No. 1-3, pp. 127-139. ISSN: 0310-483M. SOURCE: DOCUMENT TYPE: Article LANGUAGE: English LO ANSWER 11 OF 15 BICSIS COPYRIGHT 2001 BICSIS ACCESSION NUMBER: 1993:485111 BICSIS DOCUMENT NUMBER: FREV199396118711 The effects of zind on guinea pig isolated heart preparations. Kalfakakou, Vicky P. (1); Evangelou, Angelos M.; AUTHOR(S): Benveniste, Jacques; Arnoux, Bernard CORPORATE SOURCE: (1) Lab. Experimental Physicl., Fac. Med., Univ. Icannina, Ioannina 45110 Greece Biological Trace Element Research, (1993) Vol. 38, No. 3, SOURCE: pp. 299-299. issn: 0163-4984. Artible DOCUMENT TYPE: LANGUAGE: English L2 ANSWER 12 OF 15 BIOSIS COPYRIGHT 2001 BIOSIS ACCESSION NUMBER: 1993:225267 BIOSIS DOCUMENT NUMBER: PREV199395116442 Human platelets release a paf-acether: Acetylhydrolase TITLE: similar to that in plasma. Morth, Ruth; Bidault, Jocelyne; Palmantier, Remi; AUTHOR(S):Benveniste, Jacques (1); Minio, Ewa (1) INSERM U200, 32 rue des Carnets, 92140 Clamart France CORPORATE SOURCE: Lipids, (1993) Vol. 28, No. 3, pp. 193-199. SOURCE: ISSN: 0024-4201. DOCUMENT TYPE: Article English LANGUAGE: LE ANSWER 13 OF 15 BIDSIS COPYRIGHT 2001 BIOSIS ACCESSION NUMBER: 1993:182962 BIOSIS DOCUMENT NUMBER: PREV199395093412 Immunoregulatory functions of PAF-acether: IX. Modulation TITLE: of apoptosis in an immature T cell line. El Azzouzi, Bouchra; Jurgens, Peter; Benveniste, AUTHOR(S): Jacques; Thomas, Yolene Inst. National Sante Recherche Med. U 200, 32 rue des Carnets, 92140 Clamart France CORPORATE SOURCE: Biochemical and Biophysical Research Communications, SOUR DE: (1993) Vol. 190, No. 2, pp. 320-324. ISSN: 0006-291%. DOCUMENT TYPE: Artisle LANGTAGE: English ANSWER 14 FOR BURILD OF FEFT WILL BITSIS 1993:14055, Birth FRETIANCE (1955) ATTERSION NUMBER: TITI7: Presente of FAF-aboth rom stool of patients with

117-1141

but n t with viral or parasitic diarrhoea.
Denimot, Yves 1 ; Thaussade, Stanislas; De Boissi-u,
Delphine; Dupont, Christophe; Nathan, Nathalie;

Benveniste, Jacques; Couturier, Daniel
11 INCEFM 66-13, Faculte de Medecine, 2 rue du Dr.
Marcland, 67 101 limités France CORF FATE SOURCE:

Immunology & Intesticus Liseases - Mtord , 1892 Mol. 2, No. 4, pp. 269-203. ISSN: 1969-4950. 20112.12:

DOCUMENT TYPE: Article LANGUAGE: English

L2 ANSWER 15 OF 15 BIOSIS COPYRIGHT 2001 BIOSIS ACCESSION NUMBER: 1993:74759 BIOSIS DOCUMENT NUMBER: PREV199395039259

Regulation of PAF-acether receptor empression in human B

cells.

Nguer, Cheikh Momar; Pellegrini, Olivier; Galanaud, AUTHOR(S):

Pierre:

ATTECE 3 :

Benveniste, Jacques; Thomas, Yolene; Richard,

Yolande (

(1) INSERM U 131, 32 rue des Carnets, 92140 Clamart France CORPORATE SOURCE:

Journal of Immunology, (1992) Vol. 149, No. 8, pp. SOURCE:

2742-2748.

ISSN: 0022-1767.

DOCUMENT TYPE: Article LANGUAGE: English

=> FIL STNGUIDE

SINCE FILE TOTAL COST IN U.S. DOLLARS

ENTRY SESSION 30.35 34.99

FULL ESTIMATED COST

FILE 'STNGUIDE' ENTERED AT 15:45:52 ON 06 DEC 2001 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT COPYRIGHT (C) 2001 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE

AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: Nov 30, 2001 (20011130/UP).

=> FIL BIOSIS

SINCE FILE COST IN U.S. DOLLARS TOTAL ENTRY SESSION

34.99 FULL ESTIMATED COST 0.00

FILE 'BIOSIS' ENTERED AT 15:49:28 ON 06 DEC 2001

DIFYRIGHT (C) 2001 BIOSIS(R)

FILE COVERS 1969 TO DATE.

CAS REGISTRY NUMBERS AND CHEMICAL NAMES (CNs FRESENT

FROM JANUARY 1969 TO DATE.

99 00 R00 1400 ADDED: 6 December 2001 720011206 ED

The PI VII fille has been released. Enter HELD FL.AL and HELD FEINCEXING

in: Advails.

IIS L. 1-1" TRIP ARC THE ESTIMATES TOST E ESTHIS BELVEST IS IN. 5 M.C. SCILARS

IN YOU WANT IN CONTINUE WITH THIS REQUESTED YOU'VE AMSWER I OF 18 BIOSIS CUFFRIGHT 2001 BIOSIS ACCESSION NUMBER: 1997:106866 BIDSIS Presence of Baf-abether in human blood after thin-layer chromatouraphy, but not after high-performance liquid chromatography purification. AUTHOR(S): Izzo, Angelo A. 1; Benveniste, Jacques (1) Dep. Emp. Pharmacol., University Naples "Federico II", via D. Montesano 49, 80131 Naples Italy CORPORATE SOURCE: Journal of Pharmacological and Toxicological Methods, (1996) Vol. 36, No. 4, pp. 219-221. ISSN: 1056-6719. SCURCE: DOCUMENT TYPE: Article LANGUAGE: English After HPLC purification of human blood extracts, paf-acether (paf) was found exclusively as a lipoprotein-bound compound (lipopaf), whereas free-paf was absent. When the same samples (or lipopaf recovered from HFLC) were purified by TLC, both free-paf and lipopaf were detected. The free-paf detected in blood samples could thus result from lipopaf dissociation during TLC purification. ANSWER 2 OF 15 BIOSIS COPYRIGHT 2001 BIOSIS ACCESSION NUMBER: 1996:369931 BIOSIS PREV199699092287 DICUMENT NUMBER: TITLE: Biochemical and cellular effects of heparin-protamine injection in rabbits are partially inhibited by a PAF-acether receptor antagonist. Aissa, Jamal (1); Nathan, Nathalie; Arnoux, Bernard; ATTHOR(S): Benveniste, Jacques
(1) INSERM U 200, 32 Rue des Carnets, 92140 Clamart France CORPORATE SOURCE: SHURCE: European Journal of Pharmacology, (1996) Vol. 302, No. 1-3. pp. 123-128. ISSN: 0014-2999. DOCUMENT TYPE: Article LANGUAGE: Er.glish AB The origin of the thrombocytopenia and leucopenia induced by protamine-hepar-in complexes is unknown. We studied the biochemical and cellular effects of protamine (6 mg times kg-1, i.v.) injected after heparin (5 mg X kg-1, i.v.) in New Zealand rabbits. After protamine injection (0.5 min) increases in blood platelet-activating factor (PAF-acether, PAF) (27.6 +- 27.6 to 148.2 +- 48.9 pg X ml-1, P lt 0.05), thrombocytopenia (403 +- 64 to 166 +- 13 cells X 10-3 X mm-3 X mm-3, P lt 0.05) and leucopenia (7650 +- 930 to 4300 +- 668 cells X mm-3, F lt 0.05) were noted. Plasma thrombowane B-2 increased at 1 min (125.6 +- 24.4 to 879.7 +- 14 1.0 pg X ml-1, F lt 0.0 l). Protamine alone induced nochange. Indomethacin  $\{3 \text{ mg X kg-l, i.v.}\}$  did not counteract the effects of heparin-protamine. Pretreatment with the PAF receptor antagonist BN 52021 (9H1, Ta-{epoxymethano}-1H, 6aH-cyclopenta(c)furc(2,3-b)furc-13', 0', 3, 4' dyclopenta(1, 2-d) furan-8, 9, 12-(4H) trione, 3-tert-butylhexahydro-4, "b, 11 hydr.xy=8 methyl" alone '3 mg W kg-1, i.v.) delayed thrombosytopenia and reduced plasma thrombowane R-2 concentration but did not modify lewespenia. Thus threshopytopenia and thrombowane B-A release triprogred by heparin-protamine may be potentiated by the release of FAF. ANSWER FOR IT FIRSTS CHERRISET OF I BE SIG

Anteroith bumber: 1994: Hi 111 bi did

COUNTY NUMBER: FREWIRSKRAIRSLEME Modulation of human neutrophil activation by "electronic" phorbol myristate abetate FMA. Thomas, Yol One 1; Litime, Hedi; Benveniste, AUTHOR 3 : Jacques 11 CNRS URA 1440, 80000 Comprogne France FASEE Cournal, 1888 Url. 10, No. 7, pp. A1408. Meeting Info.: Coint Meeting of the American Scolety for \* BE BATE COURCE: BUTHUE: Biochemistry and Molecular Biology, the American Society for Investigative Pathology and the American Association ~ + Immunologists New Orleans, Louisiana, USA June 2-6, 1996 ISSN: 0892-6639. DOGUMENT TYPE: LANGUAGE: Conference English L2 AMSWER 4 OF 15 BIOSIS COPYRIGHT 2001 BIOSIS ACCESSION NUMBER: 1996:104486 BIOSIS DOCUMENT NUMBER: PREV199698676621 Intraluminal excretion of PAF, LysoPAF, and acetylhydrolase in patients with ulcerative colitis. Buimbaud, Rosine; Izzo, Angelo; Martinolle, Jean Pierre; AUTHOR(S): Vidon, Nicole; Couturier, Daniel; Benveniste, Jacques; Chaussade, Stanislas (1) CORPORATE SOURCE: (1) Service d'Hepato-gastroenterologie, Hopital Cochin, 27 rue du Faubourg Saint-Jacques, 75014 Paris France SOURCE: Digestive Diseases and Sciences, (1995) Vol. 40, No. 12, pp. 2635-2643. ISSN: 0163-2116. DOCUMENT TYPE: Artible LANGUAGE: English AB PAF-acether (PAF) is a phospholipid synthesized by numerous inflammatory cells. PAF can produce several pathological changes in various organs, especially in the colon. In animals PAF causes colonic ulceration and inflammation, which are similar to the anatomic lesions seen in human ulcerative colitis. The aim of this study was to measure in vivo colonic production of PAF in active ulcerative colitis using a modified colonic perfusion method. Ten patients with active ulcerative colitis and six control patients were investigated. A colonic segment was continuously perfused with a buffer and the liquid was recovered 20 cm distally, after a 45-min period of equilibration, at 20-min intervals. PAF, lysoFAF, and acetylhydrolase were measured in the colonic samples. PAF and lysoPAF outputs were significantly higher in patients with active ulcerative colitis compared to controls patients. There was a significant correlation. between colonic PAF output and, respectively, macroscopic mucosal lesions and myeloperoxidase colonic output. We thus conclude: (1) the colonic perfusion method allows in vivo study of the metabolism of PAF during ulcerative colitis and could also be used to study the efficiency of PAF antagenists in UC; and (2) colonic production of PAF is increased during ulcerative colitis and correlated to local injury and inflammation. Whether or not FAF plays a role in the pathogenesis of ulcerative colitis remains open for further investigations. ANOMER SOME IS PINSING OVERBIGHT CONTESTINATES ENVIOLENTMERES OF PRESIDENCES OF PROPERTY OF THE PROPERTY OF TH ATTERUTOR NUMBER: Human umbili al vein eni thelial bells: Specific binding

platelet=artivating targer and sytoselin calcium tluw.

```
Worth, Buth-Maria I; Hirafuji, Masahiko; Benveniste,
ATTHUR 3 :
                      Jacques: Russo-Marie, Francoise
CORPORATE SOURCE:
                      11 Forschung Allgemeinmed. FICA, Palestrinastr. TA,
                         0639 Munish Germany
S TROE:
                      Riochemidal Pharmacology, 11938 Vol. 49, No. 12, pp.
                      inaa-inaa.
                      108N: 106-0460.
DOCUMENT TYPE:
                     Artible
 LANGUAGE:
                      English
AB An interaction of the platelet-activating factor (Paf) with endothelial
     cells was investigated using human umbilical wein endothelial cells.
     Confluent endothelial cells bound (3H)Paf in the presence of 0.25% fatty
     acid-free serum albumin after culture in media containing either
     heat-inactivated foetal calf serum or serum substitute. The Scatchard
     analysis of the saturated specific (3H)Paf binding showed a B-max of 2.5 fmol indicating 2800 binding sites per endothelial cell. (3H)Paf binding
     was partially reversible at 20 degree and 4 degree and endothelial cells
     partially metabolized (3H) Paf at 20 degree but not at 4 degree . (3H) Paf
     binding and Paf-mediated increase of sytosolic free calcium were
inhibited
     by specific Paf receptor antagonists which do not interfere with Paf
     metabolism. Immortalized umbilical vein endothelial cells bound (3H)Paf
     specifically after culture in the presence of insulin (20 hr, 0.4 U/ml)
     with non-specific binding in the absence of insulin. The results show
that
     specific Paf binding mediated calcium flux in human endothelial cells.
    ANSWER 6 OF 15 BIOSIS COPYRIGHT 2001 BIOSIS
ACCESSION NUMBER: 1995:345919 BIOSIS
DOCUMENT NUMBER:
                     PREV199593360219
TITLE:
                     Voltage-dependent ion channels in human basophils: Do they
                     exist.
AUTHOR(S):
                     Beauvais, Francis (1); Burtin, Claude; Benveniste,
                     Jacques
CORPORATE SOURCE:
                      (1) INSERM U312, Salle de Malte, Hop. Saint-Louis, 1 Ave.
                     Claude Vellefaux, 75010 Paris France
                      Immunology Letters, (1995) Vol. 46, No. 1-2, pp. 81-83.
SOURCE:
                      IS3N: 0165-2478.
DOCUMENT TYPE:
                     Article
LANGUAGE:
                     English
AB The presence of voltage-dependent ion channels (particularly Ca-2+ channels) on the surface of 'non excitable' cells such as human basophils
     is a matter of debate. Indeed, in basephils, Ca-2+ entry or mobilization
     is not sufficient by itself to trigger secretion, although enhanced
     cytosolic Ca-2+ concentration increases it. In order to address this
     question, we used a two-signal model and we report here experiments which
     suggest the presence of voltage-dependent structures directly or
     indirectly linked to membrane Ca-2+ pathways. Indeed, it is known that,
in.
     the presence of PMA at threshold concentration (1st signal), elevation of
     cytosolic Ca-3+ '2nd signal' induces histamine release. We observed that
â
     depolarizing external solution (high K+) induced a Ca-1+-dependent
release
     of histamine from FMA-treated human basephils. High K+ alone did not
     induce histamine release. Although the voltage-sensitive component and
     physical disable relevance of this mechanism remain to be defined, these
     results suggest that this wiltage-dependent Ca-1+ inclus in the human cas philosophic which into the operaulation of histamine release.
```

```
id Anowes Tor it Biosis Corvelant 2001 Biosis
Addession number: 1995:198.91 Biosis
Document number: Premissossionssi
ACCESSION NUMBER:
DOCUMENT NUMBER:
TITLE:
                        Direct transmission to della of a molecular signal
phorbol
                       myristate acetate, FMA via an electronic device.
Thomas, Yalene I; Schoot, Michel; Litime, M. Hedi I;
Belkadi, Laurent II; Benveniste, Jacques (1)
ACTHURGS :
                       [1] INSERM T 201, 32 rue des Carnets, 92140 Clamart France FASEB Journal, (1995) Mol. 9, Mo. 3, pp. A227. Meeting Info.: Experimental Biology 95, Part I Atlanta,
CORPORATE SOURCE:
SOURCE:
                        Georgia, USA April 9-13, 1995
ISSN: 0892-6638.
DOCUMENT TYPE:.
                        Conference
LANGUAGE:
                        English
L2 ANSWER 8 OF 15 BIOSIS COPYRIGHT 2001 BIOSIS
ACCESSION NUMBER:
                       1995:3849 BIOSIS
                       PREV199598018149
DOCUMENT NUMBER:
                       Correlations between Paf-abether (PAF) and tumor necrosis
TITLE:
                        factor (TNF) in active rheumatoid arthritis (RA.
                       Hilliquin, Pascal (1); Arnoux, Bernard; Benveniste,
AUTHOR(S):
                        Jacques; Menkes, Charles-Joel (1)
                        (1) Serv. Rhumatol. A, Hop. Cochin, Paris 2 France
CCRPCRATE SOURCE:
                        Arthritis & Rheumatism, (1994) Vol. 37, No. 9 SUPPL., pp.
SCURCE:
                        S193.
                       Meeting Info.: 58th National Scientific Meeting of the
                        American College of Rheumatology and the 29th National
                        Scientific Meeting of the Association of Rheumatology
                        Health Professionals Minneapolis, Minnesota, USA October
                        23-27, 1994
ISSN: 0004-3591.
DOCUMENT TYPE:
                        Conference
LANGTAGE:
                        English
L2 ANSWER 9 OF 15 BIOSIS COPYRIGHT 2001 BIOSIS
ACCESSION NUMBER:
                        1994:279112 BIOSIS
                        PREV199497292112
DICUMENT NUMBER:
                        Modulation of stress proteins by Cd-2+ in a human T cell
TITLE:
                        line.
                        Pellegrini, Olivier; Davenas, Elisabeth; Morin, Laurence;
AUTHOR(S):
                        Tsangaris, George T.; Benveniste, Jacques;
                       Manual, Yves; Thomas, Yolene (1)
(1) Inst. Natl. Sante Recherche Med. U200, 32 rue Carnets,
CURPURATE SOURCE:
                        92140 Clamart France
                        European Journal of Pharmacology Environmental Toxicology
SOURCE:
                        and Pharmacology Section, (1994) Vol. 3, No. 2-3, pp.
                        221-228.
                        ISSN: 0926-6917.
DOCUMENT TYPE:
                        Article
                        English
LANGUAGE:
      We previously showed in a human T cell line (CEM-C12 cells) that Cd-2+
      induced gene expression of stress proteins, metallothionein-II-A and heat
      shock protein TO in a time- and dose-dependent manner. In the present study, CEM-CIR bells were pretreated for L4 h with 1 mu-M Cd-2+ and then
      challenged with toxic compentrations or this motal. We found that muximal
      emmressi noof the metallothi nein-II-A and heat shock protein ""
      in meased and this maximal level of our red at higher Od-1: towic
      threatrations. Actinopy in I chase experiments in History that Od-2+
```

are treatment of a not modify restalletnichein-II-A mENA stability. The

bidulatory offect of 2d-2+ pretreatment was dose-dependent from  $100~\mathrm{pM}$  to I mu-M. Such pretreatment also enhanced resistance to Cd-1+ towicity. Finally, verapamil, a calcium potassium channel blocker displaced the dose-response curve for Cd-2+ tomicity as well as metallothichein-II-A ar i heat shipk protein 70 dene expression to higher 7d-3+ condentrations. AMSWER 10 OF 18 BIOSIS COPERIGHT ALLEBISES SSION NUMBER: 1994:279000 BIOSIS ACCESSION NUMBER: PREV199497292020 Cadmium induces apoptosis in a human T cell line. AUTHOR(S): El Azzouzi, Bouchra; Tsangaris, George T.; Pellegrini, Olivier; Manuel, Yves; Benveniste, Jacques; Thomas, Yolene (1) Inst. National Sante, Recherche Med., Unite 200, 32 CORPORATE SOURCE: rue Carnets, 92140 Clamart France Toxisology, (1994) Vol. 88, No. 1-3, pp. 127-139. ISSN: 0300-483M. SOURCE: DOCUMENT TYPE: Artible LANGUAGE: English AB Cadmium, a potent toxio metal, poses a serious environmental threat but the mechanisms of its toxicity remain unclear. In the present study, we investigated the nature of cadmium-induced cell death in the human T cell line CEM-C12. Cadmium was time- and dosedependently toxic for CEM-C12 cells, cell death being preceded by chromatin condensation and DNA fragmentation. Quantification of the latter indicated an increase above 4 mu-M dadmium, with maximal fragmentation at 8 to 10 mu-M. By dontrast, when CEM-C12 pells were exposed to higher cadmium concentrations (50 mu-M), cell death increased without concomitant chromatin condensation or

DNA fragmentation. Thus, cadmium at low and high concentration kills CEM-C12 cells by apostosis and necrosis, respectively. Addition of

EG GUILLGRAU A/AU
E7 1 GUILLGRAU A/AU
E8 2 GUILLGRIT CHRISTIANE/AU
E9 1 GUILLGRIT M/AU
E10 1 GUILLGRIT RONDEAU CHRISTIANE/AU
E11 2 GUILLGRIT RONDEAU CHRISTIANE/AU
E12 1 GUILLGRY B M/AU
E13 2 GUILLGRY B GRAU
E14 4 TUILLGRY C/AU
E15 1 TUILLGRY C/AU
E16 1 TUILLGRY C/AU
E17 1 TUILLGRY C/AU
E17 1 TUILLGRY C/AU
E17 1 TUILLGRY C/AU
E17 1 TUILLGRY C/AU

```
AVILLORY E D AV
SVILLORY E D AV
SVILLORY E D AV
SVILLORY I E AV
E...-
                        FILLEY FRA
\Rightarrow S = [E3]
                4 , "GOILLONNET D" AT
=> DIS 13 1- IBIB ABS
YOU HAVE REQUESTED DATA FROM 4 ANSWERS - CONTINUE? Y/(N):Y
THE ESTIMATED COST FOR THIS REQUEST IS 7.60 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:Y
L9 ANSWER 1 OF 4 BIOSIS COPYRIGHT 2001 BIOSIS ACCESSION NUMBER: 1999:277497 BIOSIS
ACCESSION NUMBER:
                        PREV199900277497
DOCUMENT NUMBER:
                         Remote detection of bacteria using an
                         electromagnetic/digital procedure.
AUTHOR(S):
                         Benveniste, J. (1); Kahhak, L. (1); Guillonnet, D.
                         (1) Digital Biology Laboratory, Clamart France FASEB Journal, (March 15, 1999) Vol. 13, No. 5 PART 2, pp.
CORPORATE SOURCE:
SCURCE:
                         A852.
                         Meeting Info.: Annual Meeting of the Professional Research
                         Scientists on Experimental Biology 99 Washington, D.C.,
USA
                         April 17-21, 1999 Federation of American Societies for Experimental Biology
                         . ISSN: 0892-6638.
DOCUMENT TYPE:
                         Conference
LANGUAGE:
                         English
LE ANSWER 2 OF 4 BIOSIS COPYRIGHT 2001 BIOSIS ACCESSION NUMBER: 1999:171514 BIOSIS
ACCESSION NUMBER:
                         PREV199900171514
DOCUMENT NUMBER:
TITLE:
                         The molecular signal is not functional in the absence of
                         "informed" water.
AUTHOR(S):
                         Benveniste, J.; Aissa, J.; Guillonnet, D.
                         D.B.L., Clamart France
FASEB Journal, (March 12, 1999) Vol. 13, No. 4 PART 1, pp.
CORPORATE SOURCE:
SCURCE:
                         A163.
                         Meeting Info.: Annual Meeting of the Professional Research
                         Scientists for Experimental Biology 99 Washington, D.C.,
                         USA April 17-21, 1999
                         ISSN: 0892-6638.
DOCUMENT TYPE:
                         Conference
LANGUAGE:
                         English
L3 AMSWER 3 OF 4 BIOSIS COPYRIGHT 2001 BIOSIS
                        1999:166407 BIOSIS
PREV199901166407
ATTESSION NUMBER:
DOTMENT NUMBER:
TITIE:
                         A simple and fast method for in vivo demonstration of
                         ele stromagnetic molecular signaling (EMS) via high
41.14 i n
                         or computer recording.
                         Harveniste, J.; Aissa, J.; Guillonnet, D.
Distral Biol. Lak., MINA Clamart France
FALFE Curnal, March L., 1499 Vol. 15, No. 4 FAET 1, pp.
ATTHE BUTTE
NORTH RATE OF TRIES
: TF TE:
                         A. 1
```

Meeting Inio.: Annual Meeting of the Professional Research Scientists for Experimental Biology 22 Washington, D.S., USA April 17-21, 1999 ISSN: 1892-6838.

ICONENT TIPE: LENGTH SET

Conference English

13 AMSWER 4 OF 4 BIOSIS COPYRIGHT AUGUSTOSIS

ADDESSION NUMBER: DOCUMENT NUMBER:

1998:200768 BIOSIS PREV19980000768

Digital biology: Specificity of the digitized molecular

signal.

AUTHOR(S):

CORPORATE SOURCE:

Benveniste, J.; Aissa, J.; **Guillonnet**, **D**. Digital Biol. Lab., 32 rue des Carnets, 92140 Clamart

France

SAURCE:

FASEB Journal, (March 17, 1998) Wol. 12, No. 4, pp. A412. Meeting Info.: Annual Meeting of the Professional Research

Scientists on Experimental Biology 98, Part 1 San

Francisco, California, USA April 18-22, 1998 Federation of

American Societies for Experimental Biology

. ISSN: 0892-6638.

DACUMENT TYPE:

LANGUAGE:

Conference English

= · FIL STNGUIDE

COST IN U.S. DOLLARS

SINCE FILE TOTAL

TOTAL SESSION 67.14 ENTRY

FULL ESTIMATED COST

32.15 67.14

FILE 'STNGUIDE' ENTERED AT 15:55:56 ON 06 DEC 2001 UNE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT COPYRIGHT (C) 2011 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION. LAST RELOADED: Nov 30, 2001 (20011130/UP).

=: FIL BIOSIS

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

FULL ESTIMATED COST

ENTRY SESSION

0.00 67.14

FILE 'BIOSIS' ENTERED AT 16:06:30 ON 06 DEC 2001

COPYRIGHT (C) 2001 BIOSIS(R)

FILE COVERS 1969 TO DATE.

CAS REGISTRY NUMBERS AND CHEMICAL NAMES (CNs) PRESENT

FROM JANUARY 1969 TO DATE.

RECORDS LAST ADDED: F December 2001 (20011205/ED)

The BIOSIS file has been reloaded. Enter HELF RLOAD and HELF REINDEMING for details.

---Ingris, 10:10 1:05 3TN---

Emegating the logoff script...

as DOG Y

COST IN M.S. I HIABS

SINCE FILE TOTAL ENTRY CESSION 1.74 67.88

FULL ESTIMATED COST

STN INTERNATIONAL LOGGER AT 16:06:43 0N 06 DEC 2001

Connection closed by remote host